





EASY

design ridea

~~~~~

Una nuova interpretazione dello scaldasalviette tradizionale, linee tese, spazi che delineano l'eleganza e l'essenzialità del quotidiano, "vestito" con i vostri indumenti, personalizzato, vissuto, ogni giorno diverso, ogni giorno tuo.






~~~~~









A new concept of towel-rails, defined by tense lines, spaces which cover with essential elegance your workaday life, "dressed" with your own clothes, customized, lived, every day different, every day yours.

*Finitura fotografata in queste pagine:
Bianco traffico RAL 9016 opaco.*

*Finish photographed on these pages:
Bianco traffico RAL 9016 matt.*

EASY

hxb (cm)	n numero elementi/ elements number	peso a vuoto / weight empty (kg)	volume d'acqua / water volume (dm ³)	a (cm)	c (cm)	d (cm)	e (cm)	Qs resa termica / thermal yield □t 50°C (watt)	Q potenza elettrica / electrical power (watt)	versione mista* / combined version*	fissa / not opening	apribile / opening
												
verticale/vertical												
100,0x40,0	1	9,0	0,14	28,0	44,0	28,0	44,0	336	330	•	-	•
120,0x50,0	1	13,0	0,22	28,0	64,0	28,0	64,0	512	510	•	-	•
120,0x60,0	1	16,0	0,23	28,0	64,0	28,0	64,0	635	630	•	-	•
150,0x50,0	1	16,0	0,27	33,0	84,0	33,0	84,0	607	590	•	-	•
150,0x60,0	1	19,0	0,3	33,0	84,0	33,0	84,0	749	720	•	-	•
180,0x50,0	1	20,0	0,32	35,0	110,0	35,0	110,0	755	750	•	-	•
180,0x60,0	1	23,0	0,35	35,0	110,0	35,0	110,0	931	930	•	-	•
180,0x75,0	1	29,0	0,41	35,0	110,0	35,0	110,0	1122	1110	•	-	•



*.
a richiesta con sovrapprezzo
X.
posizione ingresso a muro del
cavo (per versione elettrica
e mista)
~~~~~  
\*.  
upon request with surcharge  
X.  
electrical wire wall entry  
position (for electric and  
mixed version)